Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Reglaced version: 1.0.0, issued: 11.12.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

RefreshCockpitCare

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

car care Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Warning

Hazardous component(s) to be indicated on label:

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version : 2.0.0, issued: 24.01.2022Replaced version: 1.0.0, issued: 11.12.2020Region: GB

2-octyl-2H-isothiazol-3-one

Hazard statement(s)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P280 Wear protective gloves/eye protection.

Supplemental label elements

Regulation (EC) No 648/2004 on detergents (Annex VII):

5-15% non-ionic surfactants

Perfumings

2-BROMO-2-NITROPROPANE-1,3-DIOL

OCTYLISOTHIAZOLINONE

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%
	REACH no				
1	2-butoxyethanol				
	111-76-2	Acute Tox. 4; H302	<	5.00	wt%
	203-905-0	Acute Tox. 4; H312			
	603-014-00-0	Acute Tox. 4; H332			
	01-2119475108-36	Eye Irrit. 2; H319			
		Skin Irrit. 2; H315			
2		cones, di-Me, 3-[3-[(3-coco			
	amidopropyl)dimet	thylammonio]-2-hydroxypropoxy]propyl group-			
	terminated, acetate	es (salts)			
	134737-05-6	Aquatic Acute 1; H400	<	0.50	wt%
	-	Aquatic Chronic 2; H411			
	-				
	-				
3	bronopol		pls. ref	fer to footnote (1)	
	52-51-7	Acute Tox. 4*; H302	<	0.10	wt%
	200-143-0	Acute Tox. 4*; H312			
	603-085-00-8	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
		Skin Irrit. 2; H315			
		STOT SE 3; H335			
		Aquatic Chronic 2; H411			
4	2-octyl-2H-isothiaz	ol-3-one			

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

26530-20-1	Acute Tox. 3; H301	<	0.10	wt%
247-761-7	Acute Tox. 3; H311			
613-112-00-5	Skin Corr. 1; H314			
-	Skin Sens. 1A; H317			
	Eye Dam. 1; H318			
	Acute Tox. 2; H330			
	Aquatic Chronic 1; H410			
	Aquatic Acute 1; H400			
	EUH071			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	-	-	M = 10	-
4	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 100	M = 100

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	1746 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

(NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Storage stability

Value >= 36 months

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

2000/39/EC				
2-Butoxyethanol				
WEL short-term (15 min reference period)	246	mg/m³	50	ppm
WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
Skin resorption / sensibilisation	Skin			
List of approved workplace exposure limits (WELs) /	EH40			
2-Butoxyethanol				
WEL short-term (15 min reference period)	246	mg/m³	50	ppm
WEL long-term (8-hr TWA reference period)	123	mg/m³	25	ppm
Comments	Sk, BMGV			

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol		111-76-2		
				203-905-0	
	inhalative	Long term (chronic)	systemic	98.00	mg/m³
	inhalative	Short term (acut)	systemic	1091.00	mg/m³
	inhalative	Long term (chronic)	local	246.00	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol			111-76-2	
				203-905-0	
	oral	Long term (chronic)	systemic	6.30	mg/kg/day
	oral	Short term (acut)	systemic	26.70	mg/kg/day
	inhalative	Long term (chronic)	systemic	59.00	mg/m³
	inhalative	Short term (acut)	systemic	426.00	mg/m³
	inhalative	Long term (chronic)	local	147.00	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	2-butoxyethanol		111-76-2	
			203-905-0	
	water	fresh water	8.80	mg/L
	water	marine water	0.88	mg/L
	water	fresh water sediment	34.60	mg/kg
	with reference to: dry weight		,	
	water	marine water sediment	3.46	mg/kg
	water	Aqua intermittent	26.4	mg/L
	soil	-	2.33	mg/kg dry
				weight
	sewage treatment plant	-	463.00	mg/L
	secondary poisoning	-	0.02	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid				
white				
Odour				
fruity				
pH value				
Value	6.5			
Delling weight / beiling wenge				
Boiling point / boiling range No data available				
Melting point/freezing point No data available				
Decomposition temperature No data available				
Flash point Value	70 °C			
10.00	10 0			
Ignition temperature No data available				
Oxidising properties				
not oxidizing				
Explosive properties				
The product is not explosive. Formation of explo	osive/highly flammable air-vapour mixtures is possible during/after use.			
Flammability				
No data available				
Lower explosion limit				
No data available				
Upper explosion limit				
No data available				
Vapour pressure				

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value 0.99 g/cm³ Reference temperature 20 °C

Solubility

No data available

Par	Partition coefficient n-octanol/water (log value)					
No	Substance name		AS no.	EC no.		
1	2-butoxyethanol	•	11-76-2	203-905-0		
log	Pow		0.81			
Refe	erence temperature		20	°C		
Met	hod	calculated				
Sou	rce	ECHA				

cos	

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	2-butoxyethanol		111-76-2		203-905-0
LD5	0			1746	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			

Trade name: RefreshCockpitCare

Product no.: 77706999

Species Method Source

		Replace		: 11.12.2020 Region
Sou	rce	ECHA		
Acu	te dermal toxicity			
	Substance name		CAS no.	EC no.
1	2-butoxyethanol		111-76-2	203-905-0
_D5		>	20	00 mg/kg bodyweigh
	cies	guinea pig		
	hod	OECD 402		
Sou	rce	ECHA		
Acu	te inhalational toxicity			
	Substance name		CAS no.	EC no.
1	2-butoxyethanol		111-76-2	203-905-0
ATE			1.5	
	ation of exposure	Dust/mist	4	h
	e of aggregation cies	rat		
		Tut		
_	n corrosion/irritation Substance name		CAS no.	EC no.
1	2-butoxyethanol		111-76-2	203-905-0
	ation of exposure		4	h
	cies	rabbit	7	"
	hod	EU B.4		
	rce	ECHA		
≣va	luation	irritant		
Ser	ious eye damage/irritation			
	Substance name		CAS no.	EC no.
1	2-butoxyethanol		111-76-2	203-905-0
Dur	ation of exposure		24	h
•	cies	rabbit		
	hod	OECD 405		
	rce	ECHA		
Eva	luation	Irritating to	eyes	
Res	piratory or skin sensitisation			
OP	Substance name		CAS no.	EC no.
1	2-butoxyethanol	12	111-76-2	203-905-0
	te of exposure	Skin		
	cies	guinea pig		
∖∕∣⊖†	hod	OECD 406		
		ECHA non-sensitiz	zina	
Sou		11011-361131112	<u>-1119</u>	
Sou Eva	luation			
Sou Eva Ger	m cell mutagenicity		CAC no	EC 20
Sou Eva Ger No	m cell mutagenicity Substance name		CAS no.	EC no.
Sou Eva Ger No	m cell mutagenicity Substance name 2-butoxyethanol	OFCD 471	CAS no. 111-76-2	EC no. 203-905-0
Sou Eva Ger No 1	m cell mutagenicity Substance name 2-butoxyethanol	OECD 471 ECHA		
Sou Eva Ger No 1 Met Sou	m cell mutagenicity Substance name 2-butoxyethanol	ECHA	111-76-2	
Sou Eva Ger No 1 Met Sou Eva	m cell mutagenicity Substance name 2-butoxyethanol hod rce luation/classification	ECHA	111-76-2	203-905-0
Sou Eva Ger No 1 Met Sou Eva	m cell mutagenicity Substance name 2-butoxyethanol hod rce	ECHA	111-76-2	203-905-0
Sou Eva Ger No 1 Met Sou Eva	m cell mutagenicity Substance name 2-butoxyethanol hod rce luation/classification production toxicity data available	ECHA	111-76-2	203-905-0
Sou Eva Ger No 1 Met Sou Eva Rep No	m cell mutagenicity Substance name 2-butoxyethanol hod rce luation/classification	ECHA	111-76-2	203-905-0

rat OECD 451 ECHA

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

Evaluation/classification

Based on available data, the classification criteria are not met.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	icity to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
LC5	0	>	1474	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Oncorhynchus mykiss			
Met	hod	OECD 203			
Sou	rce	ECHA			

Toxi	icity to fish (chronic)					
No	Substance name		CAS no.		EC no.	
1	2-butoxyethanol		111-76-2		203-905-0	
NOE	EC	>		100	mg/l	
Dura	ation of exposure			21	day(s)	
Spe	cies	Danio rerio				
Meth	nod	OECD 204				
Soul	rce	ECHA				

Toxi	icity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
EC5	50		690	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Meth	hod	OECD 202			
Soul	rce	ECHA			

Tox	icity to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
NOE	EC		100	mg/l	
Dura	ation of exposure		21	day(s)	
Spe	cies	Daphnia magna			
Met	nod	OECD 211			
Sou	rce	ECHA			

Tox	icity to algae (acute)		
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC5	0	623	mg/l

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

Duration of exposure	72	h
Species	Pseudokirchneriella subcapitata	
Method	OECD 201	
Source	ECHA	

Toxicity to algae (chronic)

No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

Biod	degradability				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
Туре	e	aerobic biodegradation			
Valu	е		90.4	%	
Dura	ation		28	day(s)	
Meth	nod	OECD 301 B			
Soul	rce	ECHA			
Eval	uation	readily biodegradable			

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	2-butoxyethanol		111-76-2		203-905-0	
log F	Pow			0.81		
Refe	erence temperature			20	°C	
Meth	nod	calculated				
Soul	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

XVII.	,

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-butoxyethanol	111-76-2	203-905-0	75
2	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75
3	bronopol	52-51-7	200-143-0	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

Trade name: RefreshCockpitCare

Product no.: 77706999

Current version: 2.0.0, issued: 24.01.2022 Replaced version: 1.0.0, issued: 11.12.2020 Region: GB

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769437