

**Trade name:** Super Foam**Product no.:** 396999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 01.12.2020**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

**Super Foam****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**1.4 Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Carc. 2; H351

Eye Dam. 1; H318

Skin Corr. 1; H314

**Classification information**

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05



GHS08

**Trade name:** Super Foam**Product no.:** 396999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 01.12.2020**Region:** GB**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

trisodium-nitritotriacetate

hexyl D-glucoside

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density  $\geq 400$  g/l**Hazard statement(s)**

H314

Causes severe skin burns and eye damage.

H351

Suspected of causing cancer.

H412

Harmful to aquatic life with long lasting effects.

**Hazard statements (EU)**

EUH208

Contains Orange, sweet, ext., 3-p-cumenyl-2-methylpropionaldehyde, 4-tert-butylcyclohexyl acetate, (2E)-2-(phenylmethylidene)octanal. May produce an allergic reaction.

**Precautionary statement(s)**

P201

Obtain special instructions before use.

P260

Do not breathe vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313

IF exposed or concerned: Get medical advice/attention.

**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain  $> 0.1\%$  of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain  $> 0.1\%$  of a substance that is considered to be vPvB.**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

| No | Substance name   | Additional information                                     |                           |
|----|--|--|---------------------------|
|    | CAS / EC / Index / REACH no                                | Classification (EC) 1272/2008 (CLP)                        | Concentration             |
|    |  |  | %                         |
| 1  | <b>trisodium-nitritotriacetate</b>                         |  |                           |
|    | 5064-31-3<br>225-768-6<br>607-620-00-6<br>01-2119519239-36 | Acute Tox. 4*; H302<br>Carc. 2; H351<br>Eye Irrit. 2; H319 | $\geq 5.00 - < 10.00$ wt% |
| 2  | <b>hexyl D-glucoside</b>                                   |  |                           |
|    | 54549-24-5<br>259-217-6<br>-<br>01-2119492545-29           | Eye Dam. 1; H318   | $\geq 5.00 - < 10.00$ wt% |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

|   |   |  |                   |     |
|---|---|--|-------------------|-----|
| 3 | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> |  |                   |     |
|   | 85586-07-8<br>287-809-4<br>-<br>01-2119489463-28  | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chronic 3; H412   | >= 5.00 - < 10.00 | wt% |
| 4 | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>                            |  |                   |     |
|   | 68891-38-3<br>500-234-8<br>-<br>01-2119488639-16  | Eye Dam. 1; H318<br>Skin Irrit. 2; H315<br>Aquatic Chronic 3; H412   | < 5.00            | wt% |
| 5 | <b>Orange, sweet, ext.</b>  |  |                   |     |
|   | 8028-48-6<br>232-433-8<br>-<br>01-2119493353-35   | Asp. Tox. 1; H304<br>Flam. Liq. 3; H226<br>Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Aquatic Chronic 1; H410<br>Aquatic Acute 1; H400 | < 0.50            | wt% |
| 6 | <b>3-p-cumenyl-2-methylpropionaldehyde</b>  |  |                   |     |
|   | 103-95-7<br>203-161-7<br>-<br>01-2119970582-32  | Aquatic Chronic 3; H412<br>Skin Irrit. 2; H315<br>Skin Sens. 1B; H317  | < 0.50            | wt% |
| 7 | <b>4-tert-butylcyclohexyl acetate</b>   |  |                   |     |
|   | 32210-23-4<br>250-954-9<br>-<br>01-2119976286-24  | Skin Sens. 1B; H317  | < 0.50            | wt% |
| 8 | <b>(2E)-2-(phenylmethylidene)octanal</b>  |  |                   |     |
|   | 165184-98-5<br>639-566-4<br>-<br>01-2119533092-50                                       | Aquatic Acute 1; H400<br>Aquatic Chronic 2; H411<br>Skin Sens. 1; H317   | < 0.50            | wt% |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*, \*\*, \*\*\*, \*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

| No | Note | Specific concentration limits                              | M-factor (acute) | M-factor (chronic) |
|----|------|--|------------------|--------------------|
| 1  | -    | Carc. 2; H351: C >= 5%                                     | -                | -                  |
| 3  | -    | Eye Irrit. 2; H319: C >= 10%<br>Eye Dam. 1; H318: C >= 20% | -                | -                  |
| 4  | -    | Eye Irrit. 2; H319: C >= 5%<br>Eye Dam. 1; H318: C >= 10%  | -                | -                  |

**Acute toxicity estimate (ATE) values**

| No | oral                  | dermal | inhalative |
|----|-----------------------|--------|------------|
| 1  | 1740 mg/kg bodyweight |        |            |
| 3  | 501 mg/kg bodyweight  |        |            |

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Irregular breathing/no breathing: artificial respiration.

**Trade name:** Super Foam

**Product no.:** 396999

**Current version :** 1.1.0, issued: 31.03.2021

**Replaced version:** 1.0.0, issued: 01.12.2020

**Region:** GB

**After skin contact**

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

**After ingestion**

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing media**

Foam; Carbon dioxide; Dry chemical extinguisher

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Nitrogen oxides (NO<sub>x</sub>); Toxic gases/vapours

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit. Run-off water from fire fighting must not be discharged into drains or enter surface water.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

**For emergency responders**

Personal protective equipment (PPE) - see section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

**Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed. Store in a dry place.

**Recommended storage temperature**

Value

Room temperature

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Prevent unauthorized access.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

| No | Substance name  |                     |          | CAS / EC no                            |                    |
|----|---|---------------------|----------|--|--------------------|
|    | Route of exposure   | Exposure time       | Effect   | Value                                  |                    |
| 1  | <b>trisodium-nitritotriacetate</b>  |                     |          | <b>5064-31-3</b><br><b>225-768-6</b>   |                    |
|    | inhalative  | Short term (acut)   | systemic | 2.4                                    | mg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) | systemic | 0.8                                    | mg/cm <sup>2</sup> |
| 2  | <b>hexyl D-glucoside</b>  |                     |          | <b>54549-24-5</b><br><b>259-217-6</b>  |                    |
|    | dermal  | Long term (chronic) | systemic | 595000                                 | mg/kg/day          |
|    | inhalative  | Long term (chronic) | systemic | 420                                    | mg/m <sup>3</sup>  |
| 3  | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> |                     |          | <b>85586-07-8</b><br><b>287-809-4</b>  |                    |
|    | dermal  | Long term (chronic) | systemic | 4060                                   | mg/kg/day          |
|    | inhalative  | Long term (chronic) | systemic | 285                                    | mg/m <sup>3</sup>  |
| 4  | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>                            |                     |          | <b>68891-38-3</b><br><b>500-234-8</b>  |                    |
|    | dermal  | Long term (chronic) | systemic | 2750                                   | mg/kg/day          |
|    | dermal  | Long term (chronic) | local    | 132                                    | µg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) | systemic | 175                                    | mg/m <sup>3</sup>  |
| 5  | <b>Orange, sweet, ext.</b>  |                     |          | <b>8028-48-6</b><br><b>232-433-8</b>   |                    |
|    | dermal  | Long term (chronic) |          | 8.89                                   | mg/kg/day          |
|    | dermal  | Short term (acut)   |          | 185.8                                  | µg/cm <sup>2</sup> |
|    | inhalative  |                     |          | 31.1                                   | mg/m <sup>3</sup>  |
| 6  | <b>(2E)-2-(phenylmethylidene)octanal</b>  |                     |          | <b>165184-98-5</b><br><b>639-566-4</b> |                    |
|    | dermal  | Long term (chronic) | systemic | 18.2                                   | mg/kg/day          |
|    | dermal  | Long term (chronic) | local    | 525                                    | µg/cm <sup>2</sup> |
|    | dermal  | Short term (acut)   | local    | 525                                    | µg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) | systemic | 0.078                                  | mg/m <sup>3</sup>  |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

|  |            |                   |       |      |                   |
|--|------------|-------------------|-------|------|-------------------|
|  | inhalative | Short term (acut) | local | 6.28 | mg/m <sup>3</sup> |
|--|------------|-------------------|-------|------|-------------------|

**DNEL value (consumer)**

| No | Substance name  |                     |          | CAS / EC no                            |                    |
|----|---|---------------------|----------|--|--------------------|
|    | Route of exposure   | Exposure time       | Effect   | Value                                  |                    |
| 1  | <b>trisodium-nitritotriacetate</b>  |                     |          | <b>5064-31-3</b><br><b>225-768-6</b>   |                    |
|    | oral  | Short term (acut)   | systemic | 0.9                                    | mg/kg              |
|    | oral  | Long term (chronic) | systemic | 0.3                                    | mg/kg              |
|    | dermal  | Short term (acut)   | systemic |  |                    |
|    | inhalative  | Short term (acut)   | systemic | 9.6                                    | mg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) | systemic | 3.2                                    | mg/cm <sup>2</sup> |
| 2  | <b>hexyl D-glucoside</b>  |                     |          | <b>54549-24-5</b><br><b>259-217-6</b>  |                    |
|    | oral  | Long term (chronic) | systemic | 35.7                                   | mg/kg/day          |
|    | dermal  | Long term (chronic) | systemic | 357000                                 | mg/kg/day          |
|    | inhalative  | Long term (chronic) | systemic | 124                                    | mg/m <sup>3</sup>  |
| 3  | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> |                     |          | <b>85586-07-8</b><br><b>287-809-4</b>  |                    |
|    | oral  | Long term (chronic) | systemic | 24                                     | mg/kg/day          |
|    | dermal  | Long term (chronic) | systemic | 2440                                   | mg/kg/day          |
|    | inhalative  | Long term (chronic) | systemic | 85                                     | mg/m <sup>3</sup>  |
| 4  | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>                            |                     |          | <b>68891-38-3</b><br><b>500-234-8</b>  |                    |
|    | oral  | Long term (chronic) | systemic | 15                                     | mg/kg/day          |
|    | dermal  | Long term (chronic) | systemic | 1650                                   | mg/kg/day          |
|    | dermal  | Long term (chronic) | local    | 79                                     | µg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) | systemic | 52                                     | mg/m <sup>3</sup>  |
| 5  | <b>Orange, sweet, ext.</b>  |                     |          | <b>8028-48-6</b><br><b>232-433-8</b>   |                    |
|    | oral  | Long term (chronic) |          | 4.44                                   | mg/kg/day          |
|    | dermal  | Long term (chronic) |          | 4.44                                   | mg/kg/day          |
|    | dermal  | Short term (acut)   |          | 92.9                                   | µg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) |          | 7.78                                   | mg/m <sup>3</sup>  |
| 6  | <b>(2E)-2-(phenylmethylidene)octanal</b>  |                     |          | <b>165184-98-5</b><br><b>639-566-4</b> |                    |
|    | oral  | Long term (chronic) | systemic | 0.056                                  | mg/kg/day          |
|    | dermal  | Long term (chronic) | systemic | 9.11                                   | mg/kg/day          |
|    | dermal  | Long term (chronic) | local    | 78.7                                   | µg/cm <sup>2</sup> |
|    | dermal  | Short term (acut)   | local    | 78.7                                   | µg/cm <sup>2</sup> |
|    | inhalative  | Long term (chronic) | systemic | 0.019                                  |                    |
|    | inhalative  | Short term (acut)   | local    | 4.71                                   | mg/m <sup>3</sup>  |

**PNEC values**

| No | Substance name                     |                      | CAS / EC no                           |                  |
|----|------------------------------------|----------------------|---------------------------------------|------------------|
|    | ecological compartment             | Type                 | Value                                 |                  |
| 1  | <b>trisodium-nitritotriacetate</b> |                      | <b>5064-31-3</b><br><b>225-768-6</b>  |                  |
|    | water                              | fresh water          | 0.93                                  | mg/L             |
|    | water                              | marine water         | 0.093                                 | mg/L             |
|    | sewage treatment plant             | -                    | 270                                   | mg/L             |
| 2  | <b>hexyl D-glucoside</b>           |                      | <b>54549-24-5</b><br><b>259-217-6</b> |                  |
|    | water                              | fresh water          | 0.176                                 | mg/L             |
|    | water                              | marine water         | 0.018                                 | mg/L             |
|    | water                              | Aqua intermittent    | 4.2                                   | mg/L             |
|    | water                              | fresh water sediment | 0.722                                 | mg/kg dry weight |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

|   |   |                       |                                  |                  |
|---|---|-----------------------|----------------------------------|------------------|
|   | water   | marine water sediment | 0.072                            | mg/kg dry weight |
|   | soil  | -                     | 0.654                            | mg/kg dry weight |
|   | sewage treatment plant  | -                     | 100                              | mg/L             |
|   | secondary poisoning<br>with reference to: food  | -                     | 111.11                           | mg/kg            |
| 3 | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> |                       | <b>85586-07-8<br/>287-809-4</b>  |                  |
|   | water   | fresh water           | 0.131                            | mg/L             |
|   | water   | marine water          | 0.0131                           | mg/L             |
|   | water   | Aqua intermittent     | 0.036                            | mg/L             |
|   | water   | fresh water sediment  | 4.61                             | mg/kg dry weight |
|   | water   | marine water sediment | 0.461                            | mg/kg dry weight |
|   | soil  | -                     | 0.846                            | mg/kg dry weight |
|   | sewage treatment plant  | -                     | 1.35                             | mg/L             |
| 4 | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>                            |                       | <b>68891-38-3<br/>500-234-8</b>  |                  |
|   | water   | fresh water           | 0.24                             | mg/L             |
|   | water   | marine water          | 0.024                            | mg/L             |
|   | water   | Aqua intermittent     | 0.071                            | mg/L             |
|   | water   | fresh water sediment  | 0.917                            | mg/kg dry weight |
|   | water   | marine water sediment | 0.092                            | mg/kg dry weight |
|   | soil  | -                     | 7.5                              | mg/kg dry weight |
|   | sewage treatment plant  | -                     | 10                               | g/L              |
| 5 | <b>Orange, sweet, ext.</b>  |                       | <b>8028-48-6<br/>232-433-8</b>   |                  |
|   | water   | fresh water           | 5.4                              | mg/L             |
|   | water   | marine water          | 0.54                             | mg/L             |
|   | water   | fresh water sediment  | 1.3                              | mg/kg dry weight |
|   | water   | marine water sediment | 0.13                             | mg/kg dry weight |
|   | water   | Aqua intermittent     | 5.77                             | mg/L             |
|   | soil  | -                     | 0.261                            | mg/kg dry weight |
|   | sewage treatment plant  | -                     | 2.1                              | mg/L             |
|   | secondary poisoning<br>with reference to: food  | -                     | 13.3                             | mg/kg            |
| 6 | <b>(2E)-2-(phenylmethylidene)octanal</b>  |                       | <b>165184-98-5<br/>639-566-4</b> |                  |
|   | water   | fresh water           | 0.001                            | mg/L             |
|   | water   | marine water          | 0                                | mg/L             |
|   | water   | fresh water sediment  | 3.2                              | mg/kg dry weight |
|   | water   | marine water sediment | 0.064                            | mg/kg dry weight |
|   | soil  | -                     | 0.398                            | mg/kg dry weight |
|   | sewage treatment plant  | -                     | 10                               | mg/L             |
|   | secondary poisoning   | -                     | 6.6                              | mg/kg food       |

**Trade name:** Super Foam**Product no.:** 396999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 01.12.2020**Region:** GB

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

|                      |                 |     |     |
|----------------------|-----------------|-----|-----|
| Appropriate Material | butyl rubber    |     |     |
| Appropriate Material | neoprene        |     |     |
| Appropriate Material | Polychloroprene |     |     |
| Appropriate Material | nitrile         |     |     |
| Material thickness   | >=              | 0.5 | mm  |
| Breakthrough time    | >               | 120 | min |

#### Other

Chemical-resistant work clothes.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                      |    |
|--------------------------------------|----|
| <b>State of aggregation</b>          |    |
| liquid                               |    |
| <b>Form/Colour</b>                   |    |
| liquid                               |    |
| yellow                               |    |
| <b>Odour</b>                         |    |
| characteristic                       |    |
| <b>pH value</b>                      |    |
| Value                                | 12 |
| <b>Boiling point / boiling range</b> |    |
| No data available                    |    |
| <b>Melting point/freezing point</b>  |    |
| No data available                    |    |
| <b>Decomposition temperature</b>     |    |
| No data available                    |    |
| <b>Flash point</b>                   |    |
| No data available                    |    |



Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

| <b>Ignition temperature</b>                              |   |                   |           |
|--|---|-------------------|-----------|
| No data available  |   |                   |           |
| <b>Oxidising properties</b>                              |   |                   |           |
| not oxidizing  |   |                   |           |
| <b>Explosive properties</b>                              |   |                   |           |
| The product does not have explosive properties.          |   |                   |           |
| <b>Flammability</b>                                      |   |                   |           |
| No data available  |   |                   |           |
| <b>Lower explosion limit</b>                             |   |                   |           |
| No data available  |   |                   |           |
| <b>Upper explosion limit</b>                             |   |                   |           |
| No data available  |   |                   |           |
| <b>Vapour pressure</b>                                   |   |                   |           |
| No data available  |   |                   |           |
| <b>Relative vapour density</b>                           |   |                   |           |
| No data available  |   |                   |           |
| <b>Relative density</b>                                  |   |                   |           |
| No data available  |   |                   |           |
| <b>Density</b>   |   |                   |           |
| Value  | 1.1   | g/cm <sup>3</sup> |           |
| Reference temperature                                    | 20  | °C                |           |
| <b>Solubility in water</b>                               |   |                   |           |
| Comments   | miscible  |                   |           |
| <b>Solubility</b>  |   |                   |           |
| No data available  |   |                   |           |
| <b>Partition coefficient n-octanol/water (log value)</b> |   |                   |           |
| No   | Substance name  | CAS no.           | EC no.    |
| 1  | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8        | 287-809-4 |
|  | log Pow   | <=                | -2.42     |
|  | Reference temperature   |                   | 20 °C     |
|  | Method  | OECD 107          |           |
|  | Source  | ECHA              |           |
| 2  | Orange, sweet, ext.   | 8028-48-6         | 232-433-8 |
|  | log Pow   | >=                | 4         |
| 3  | (2E)-2-(phenylmethylidene)octanal   | 165184-98-5       | 639-566-4 |
|  | log Pow   | appr.             | 5.3       |
|  | Reference temperature   |                   | 24 °C     |
|  | Method  | OECD 117          |           |
|  | Source  | ECHA              |           |
| <b>Viscosity</b>   |   |                   |           |
| No data available  |   |                   |           |
| <b>Particle characteristics</b>                          |   |                   |           |
| No data available  |   |                   |           |

**9.2 Other information**

|                          |
|--------------------------|
| <b>Other information</b> |
| No data available.       |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use.

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

strong acids; strong oxidizing agents

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

| Acute oral toxicity (result of the ATE calculation for the mixture) |   |   |                  |
|---|---|---|------------------|
| No  | Product Name  |   |                  |
| 1   | Super Foam  |   |                  |
| Comments  |   | The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg). |                  |
| Acute oral toxicity   |   |   |                  |
| No  | Substance name  | CAS no.   | EC no.           |
| 1   | trisodium-nitritotriacetate   | 5064-31-3   | 225-768-6        |
| LD50  |   | 1740  | mg/kg bodyweight |
| Species   | rat   |   |                  |
| Method  | OECD 401  |   |                  |
| Source  | ECHA  |   |                  |
| 2   | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8  | 287-809-4        |
| LD50  |   | 501 - 1999  | mg/kg bodyweight |
| Species   | rat   |   |                  |
| Method  | EU Method B.1   |   |                  |
| Source  | ECHA  |   |                  |
| 3   | Alcohols, C12-14, ethoxylated, sulfates, sodium salts                         | 68891-38-3  | 500-234-8        |
| LD50  |   | 4100  | mg/kg bodyweight |
| Species   | rat   |   |                  |
| Method  | OECD 401  |   |                  |
| Source  | ECHA  |   |                  |
| 4   | Orange, sweet, ext.   | 8028-48-6   | 232-433-8        |
| LD50  |   | > 5000  | mg/kg bodyweight |
| Species   | rat   |   |                  |
| 5   | (2E)-2-(phenylmethylidene)octanal   | 165184-98-5   | 639-566-4        |
| LD50  |   | appr. 3100  | mg/kg bodyweight |
| Species   | rat   |   |                  |
| Method  | OECD 401  |   |                  |
| Source  | ECHA  |   |                  |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

| Acute dermal toxicity |   |             |                  |
|-----------------------|---|-------------|------------------|
| No                    | Substance name  | CAS no.     | EC no.           |
| 1                     | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | 68891-38-3  | 500-234-8        |
| LD50                  | >   | 2000        | mg/kg bodyweight |
| Species               | rat   |             |                  |
| Method                | OECD 402  |             |                  |
| Source                | ECHA  |             |                  |
| 2                     | Orange, sweet, ext.                                   | 8028-48-6   | 232-433-8        |
| LD50                  | >   | 5000        | mg/kg bodyweight |
| Species               | rabbit  |             |                  |
| 3                     | (2E)-2-(phenylmethylidene)octanal                     | 165184-98-5 | 639-566-4        |
| LD50                  | >   | 3000        | mg/kg bodyweight |
| Species               | rabbit  |             |                  |
| Method                | OECD 402  |             |                  |
| Source                | ECHA  |             |                  |

| Acute inhalational toxicity |                                   |             |           |
|-----------------------------|-----------------------------------|-------------|-----------|
| No                          | Substance name                    | CAS no.     | EC no.    |
| 1                           | trisodium-nitrilotriacetate       | 5064-31-3   | 225-768-6 |
| LC50                        | >                                 | 5           | mg/l      |
| Duration of exposure        |                                   | 4           | h         |
| State of aggregation        | Dust                              |             |           |
| Species                     | rat                               |             |           |
| Source                      | ECHA                              |             |           |
| 2                           | (2E)-2-(phenylmethylidene)octanal | 165184-98-5 | 639-566-4 |
| LC50                        | >                                 | 5           | mg/l      |
| Duration of exposure        |                                   | 4           | h         |
| State of aggregation        | Dust/mist                         |             |           |
| Species                     | rat                               |             |           |
| Method                      | OECD 403                          |             |           |
| Source                      | ECHA                              |             |           |

| Skin corrosion/irritation |  |  |  |
|---------------------------|--|--|--|
| No data available         |  |  |  |

| Serious eye damage/irritation |   |             |           |
|-------------------------------|---|-------------|-----------|
| No                            | Substance name  | CAS no.     | EC no.    |
| 1                             | trisodium-nitrilotriacetate                           | 5064-31-3   | 225-768-6 |
| Species                       | rabbit  |             |           |
| Method                        | OECD 405  |             |           |
| Source                        | ECHA  |             |           |
| Evaluation                    | irritant  |             |           |
| 2                             | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | 68891-38-3  | 500-234-8 |
| Species                       | rabbit  |             |           |
| Method                        | OECD 405  |             |           |
| Source                        | ECHA  |             |           |
| Evaluation                    | strongly irritant                                     |             |           |
| 3                             | Orange, sweet, ext.                                   | 8028-48-6   | 232-433-8 |
| Species                       | rabbit  |             |           |
| Method                        | OECD 405  |             |           |
| Evaluation                    | non-irritant  |             |           |
| 4                             | (2E)-2-(phenylmethylidene)octanal                     | 165184-98-5 | 639-566-4 |
| Species                       | rabbit  |             |           |
| Method                        | EU B.5  |             |           |
| Source                        | ECHA  |             |           |
| Evaluation                    | non-irritant  |             |           |

| Respiratory or skin sensitisation |  |  |  |
|-----------------------------------|--|--|--|
|-----------------------------------|--|--|--|

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

| No                        | Substance name  | CAS no.   | EC no.    |
|---------------------------|---|---|-----------|
| 1                         | trisodium-nitrilotriacetate   | 5064-31-3   | 225-768-6 |
| Route of exposure         |   | Skin  |           |
| Species                   |   | guinea pig  |           |
| Method                    |   | OECD 406  |           |
| Source                    |   | ECHA  |           |
| Evaluation                |   | non-sensitizing   |           |
| 2                         | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8  | 287-809-4 |
| Route of exposure         |   | Skin  |           |
| Species                   |   | guinea pig  |           |
| Source                    |   | ECHA  |           |
| Evaluation                |   | non-sensitizing   |           |
| Evaluation/classification |   | Based on available data, the classification criteria are not met. |           |
| 3                         | Alcohols, C12-14, ethoxylated, sulfates, sodium salts                         | 68891-38-3  | 500-234-8 |
| Route of exposure         |   | Skin  |           |
| Species                   |   | guinea pig  |           |
| Method                    |   | OECD 406  |           |
| Source                    |   | ECHA  |           |
| Evaluation                |   | non-sensitizing   |           |
| 4                         | (2E)-2-(phenylmethylidene)octanal   | 165184-98-5   | 639-566-4 |
| Route of exposure         |   | Skin  |           |
| Species                   |   | mouse   |           |
| Method                    |   | OECD 429  |           |
| Source                    |   | ECHA  |           |
| Evaluation                |   | sensitizing   |           |

**Germ cell mutagenicity**

| No                        | Substance name  | CAS no.   | EC no.    |
|---------------------------|---|---|-----------|
| 1                         | trisodium-nitrilotriacetate   | 5064-31-3   | 225-768-6 |
| Source                    |   | ECHA  |           |
| Evaluation/classification |   | Based on available data, the classification criteria are not met. |           |
| 2                         | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8  | 287-809-4 |
| Type of examination       |   | in vitro gene mutation study in bacteria                          |           |
| Species                   |   | Salmonella typh. TA98, TA100, TA1535, TA1537, TA1538              |           |
| Method                    |   | OECD 471  |           |
| Source                    |   | ECHA  |           |
| Evaluation/classification |   | Based on available data, the classification criteria are not met. |           |
| Type of examination       |   | in vitro gene mutation study in mammalian cells                   |           |
| Species                   |   | mouse lymphoma L5178Y cells                                       |           |
| Method                    |   | OECD 476  |           |
| Source                    |   | ECHA  |           |
| Evaluation/classification |   | Based on available data, the classification criteria are not met. |           |
| 3                         | Alcohols, C12-14, ethoxylated, sulfates, sodium salts                         | 68891-38-3  | 500-234-8 |
| Source                    |   | ECHA  |           |
| Evaluation/classification |   | Based on available data, the classification criteria are not met. |           |

**Reproduction toxicity**

| No                        | Substance name  | CAS no.   | EC no.    |
|---------------------------|---|---|-----------|
| 1                         | trisodium-nitrilotriacetate   | 5064-31-3   | 225-768-6 |
| Species                   |   | rat   |           |
| Method                    |   | OECD 416  |           |
| Source                    |   | ECHA  |           |
| Evaluation/classification |   | Based on available data, the classification criteria are not met. |           |
| 2                         | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8  | 287-809-4 |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

|                           |   |
|---------------------------|---|
| Route of exposure         | oral  |
| Type of examination       | Prenatal Developmental Toxicity Study   |
| Species                   | rat   |
| Method                    | OECD 414  |
| Source                    | ECHA  |
| Evaluation/classification | Based on available data, the classification criteria are not met.                               |
| <b>3</b>                  | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b> <b>68891-38-3</b> <b>500-234-8</b> |
| Source                    | ECHA  |
| Evaluation/classification | Based on available data, the classification criteria are not met.                               |

| Carcinogenicity           |   |                   |                  |
|---------------------------|---|-------------------|------------------|
| No                        | Substance name  | CAS no.           | EC no.           |
| <b>1</b>                  | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> | <b>85586-07-8</b> | <b>287-809-4</b> |
| Source                    | ECHA / Read across  |                   |                  |
| Evaluation/classification | Based on available data, the classification criteria are not met.                       |                   |                  |

| STOT - single exposure |  |
|------------------------|--|
| No data available      |  |

| STOT - repeated exposure  |   |                  |                  |
|---------------------------|---|------------------|------------------|
| No                        | Substance name  | CAS no.          | EC no.           |
| <b>1</b>                  | <b>trisodium-nitritotriacetate</b>                                | <b>5064-31-3</b> | <b>225-768-6</b> |
| Route of exposure         | dermal  |                  |                  |
| Source                    | ECHA  |                  |                  |
| Evaluation/classification | Based on available data, the classification criteria are not met. |                  |                  |
| Route of exposure         | inhalational  |                  |                  |
| Source                    | ECHA  |                  |                  |
| Evaluation/classification | Based on available data, the classification criteria are not met. |                  |                  |
| Route of exposure         | oral  |                  |                  |
| Source                    | ECHA  |                  |                  |
| Evaluation/classification | Based on available data, the classification criteria are not met. |                  |                  |

| Aspiration hazard |  |
|-------------------|--|
| No data available |  |

## 11.2 Information on other hazards

### Endocrine disrupting properties

No data available.

### Other information

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

| Toxicity to fish (acute) |   |                   |                  |
|--------------------------|---|-------------------|------------------|
| No                       | Substance name  | CAS no.           | EC no.           |
| <b>1</b>                 | <b>trisodium-nitritotriacetate</b>  | <b>5064-31-3</b>  | <b>225-768-6</b> |
| LC50                     |   | 114               | mg/l             |
| Duration of exposure     |   | 96                | h                |
| Species                  | Pimephales promelas   |                   |                  |
| Source                   | ECHA  |                   |                  |
| <b>2</b>                 | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> | <b>85586-07-8</b> | <b>287-809-4</b> |
| LC50                     |   | 3.6               | mg/l             |
| Duration of exposure     |   | 96                | h                |
| Species                  | Oncorhynchus mykiss   |                   |                  |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

|                      |  |                    |                  |
|----------------------|--|--------------------|------------------|
| Method               | OECD 203   |                    |                  |
| Source               | ECHA   |                    |                  |
| <b>3</b>             | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b> | <b>68891-38-3</b>  | <b>500-234-8</b> |
| LC50                 |  | 7.1                | mg/l             |
| Duration of exposure |  | 96                 | h                |
| Species              | Danio rerio  |                    |                  |
| Method               | OECD 203   |                    |                  |
| Source               | ECHA   |                    |                  |
| <b>4</b>             | <b>Orange, sweet, ext.</b>                                   | <b>8028-48-6</b>   | <b>232-433-8</b> |
| LC50                 |  | 0.7                | mg/l             |
| Duration of exposure |  | 96                 | h                |
| Species              | Pimephales promelas  |                    |                  |
| Method               | OECD 203   |                    |                  |
| <b>5</b>             | <b>(2E)-2-(phenylmethylidene)octanal</b>                     | <b>165184-98-5</b> | <b>639-566-4</b> |
| LC50                 |  | 1.7                | mg/l             |
| Duration of exposure |  | 96                 | h                |
| Species              | Pimephales promelas  |                    |                  |
| Method               | OECD 203   |                    |                  |
| Source               | ECHA   |                    |                  |

**Toxicity to fish (chronic)**

| No                   | Substance name                     | CAS no.          | EC no.           |
|----------------------|------------------------------------|------------------|------------------|
| <b>1</b>             | <b>trisodium-nitrilotriacetate</b> | <b>5064-31-3</b> | <b>225-768-6</b> |
| NOEC                 | >                                  | 54               | mg/l             |
| Duration of exposure |                                    | 224              | day(s)           |
| Species              | Pimephales promelas                |                  |                  |
| Source               | ECHA                               |                  |                  |

**Toxicity to Daphnia (acute)**

| No                   | Substance name  | CAS no.            | EC no.           |
|----------------------|---|--------------------|------------------|
| <b>1</b>             | <b>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density &gt;=400 g/l</b> | <b>85586-07-8</b>  | <b>287-809-4</b> |
| EC50                 |   | 4.7                | mg/l             |
| Duration of exposure |   | 48                 | h                |
| Species              | Daphnia magna   |                    |                  |
| Method               | EC 92/69  |                    |                  |
| Source               | ECHA  |                    |                  |
| <b>2</b>             | <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>                            | <b>68891-38-3</b>  | <b>500-234-8</b> |
| EC50                 |   | 7.4                | mg/l             |
| Duration of exposure |   | 48                 | h                |
| Species              | Daphnia magna   |                    |                  |
| Method               | OECD 202  |                    |                  |
| Source               | ECHA  |                    |                  |
| <b>3</b>             | <b>Orange, sweet, ext.</b>  | <b>8028-48-6</b>   | <b>232-433-8</b> |
| EC50                 |   | 0.67               | mg/l             |
| Duration of exposure |   | 48                 | h                |
| Species              | Daphnia magna   |                    |                  |
| Source               | OECD 202  |                    |                  |
| <b>4</b>             | <b>(2E)-2-(phenylmethylidene)octanal</b>  | <b>165184-98-5</b> | <b>639-566-4</b> |
| EC50                 | > 0.36  | - 0.58             | mg/l             |
| Duration of exposure |   | 48                 | h                |
| Species              | Daphnia magna   |                    |                  |
| Method               | OECD 202  |                    |                  |
| Source               | ECHA  |                    |                  |

**Toxicity to Daphnia (chronic)**

| No | Substance name | CAS no. | EC no. |
|----|----------------|---------|--------|
|----|----------------|---------|--------|

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

| 1                    | trisodium-nitritotriacetate    | 5064-31-3   | 225-768-6 |
|----------------------|--------------------------------|-------------|-----------|
| NOEC                 |                                | 9.3         | mg/l      |
| Duration of exposure |                                | 147         | day(s)    |
| Species              | Daphnia magna                  |             |           |
| Source               | ECHA                           |             |           |
| 2                    | (2E)-2-(phenylmethylen)octanal | 165184-98-5 | 639-566-4 |
| NOEC                 |                                | 0.063       | mg/l      |
| Duration of exposure |                                | 21          | day(s)    |
| Species              | Daphnia magna                  |             |           |
| Method               | OECD 211                       |             |           |
| Source               | ECHA                           |             |           |

| Toxicity to algae (acute) |   |             |           |
|---------------------------|---|-------------|-----------|
| No                        | Substance name  | CAS no.     | EC no.    |
| 1                         | trisodium-nitritotriacetate                           | 5064-31-3   | 225-768-6 |
| ErC50                     | >   | 91.5        | mg/l      |
| Duration of exposure      |   | 72          | h         |
| Species                   | Desmodesmus subspicatus                               |             |           |
| Method                    | OECD 201  |             |           |
| Source                    | ECHA  |             |           |
| 2                         | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | 68891-38-3  | 500-234-8 |
| ErC50                     |   | 27.7        | mg/l      |
| Duration of exposure      |   | 72          | h         |
| Species                   | Desmodesmus subspicatus                               |             |           |
| Method                    | OECD 201  |             |           |
| Source                    | ECHA  |             |           |
| 3                         | Orange, sweet, ext.                                   | 8028-48-6   | 232-433-8 |
| ErC50                     |   | 150         | mg/l      |
| Duration of exposure      |   | 72          | h         |
| Species                   | Desmodesmus subspicatus                               |             |           |
| Method                    | OECD 201  |             |           |
| 4                         | (2E)-2-(phenylmethylen)octanal                        | 165184-98-5 | 639-566-4 |
| EC50                      | >   | 0.065       | mg/l      |
| Duration of exposure      |   | 72          | h         |
| Species                   | Desmodesmus subspicatus                               |             |           |
| Method                    | OECD 201  |             |           |
| Source                    | ECHA  |             |           |

| Toxicity to algae (chronic) |   |            |           |
|-----------------------------|---|------------|-----------|
| No                          | Substance name  | CAS no.    | EC no.    |
| 1                           | trisodium-nitritotriacetate                           | 5064-31-3  | 225-768-6 |
| NOEC                        |   | 1.43       | mg/l      |
| Duration of exposure        |   | 72         | h         |
| Species                     | Desmodesmus subspicatus                               |            |           |
| Method                      | OECD 201  |            |           |
| Source                      | ECHA  |            |           |
| 2                           | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | 68891-38-3 | 500-234-8 |
| NOEC                        |   | 0.95       | mg/l      |
| Duration of exposure        |   | 72         | h         |
| Species                     | Desmodesmus subspicatus                               |            |           |
| Method                      | OECD 201  |            |           |
| Source                      | ECHA  |            |           |

| Bacteria toxicity |   |            |           |
|-------------------|---|------------|-----------|
| No                | Substance name  | CAS no.    | EC no.    |
| 1                 | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | 68891-38-3 | 500-234-8 |

Trade name: Super Foam

Product no.: 396999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 01.12.2020

Region: GB

|                      |                    |       |      |
|----------------------|--------------------|-------|------|
| EC50                 | >                  | 10000 | mg/l |
| Duration of exposure |                    | 16    | h    |
| Species              | Pseudomonas putida |       |      |
| Method               | DIN 38412 T.8      |       |      |
| Source               | ECHA               |       |      |

## 12.2 Persistence and degradability

| Biodegradability |   |             |           |
|------------------|---|-------------|-----------|
| No               | Substance name  | CAS no.     | EC no.    |
| 1                | trisodium-nitritotriacetate   | 5064-31-3   | 225-768-6 |
| Value            |   | 100         | %         |
| Duration         |   | 14          | d         |
| Method           | OECD 301 E  |             |           |
| Source           | ECHA  |             |           |
| Evaluation       | readily biodegradable   |             |           |
| 2                | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8  | 287-809-4 |
| Type             | aerobic biodegradation  |             |           |
| Value            | 90  | - 100       | %         |
| Duration         |   | 28          | day(s)    |
| Method           | OECD 301 D  |             |           |
| Source           | ECHA  |             |           |
| Evaluation       | readily biodegradable   |             |           |
| 3                | Alcohols, C12-14, ethoxylated, sulfates, sodium salts                         | 68891-38-3  | 500-234-8 |
| Type             | DOC decrease  |             |           |
| Value            |   | 100         | %         |
| Duration         |   | 14          | day(s)    |
| Source           | ECHA  |             |           |
| Evaluation       | readily biodegradable   |             |           |
| 4                | Orange, sweet, ext.   | 8028-48-6   | 232-433-8 |
| Value            | 72  | - 83.4      | %         |
| Duration         |   | 28          | day(s)    |
| Method           | OECD 301 B  |             |           |
| Evaluation       | readily biodegradable   |             |           |
| 5                | (2E)-2-(phenylmethylidene)octanal   | 165184-98-5 | 639-566-4 |
| Value            | appr.   | 97          | %         |
| Duration         |   | 28          | day(s)    |
| Method           | OECD 301 F  |             |           |
| Source           | ECHA  |             |           |
| Evaluation       | readily biodegradable   |             |           |

## 12.3 Bioaccumulative potential

| Bioconcentration factor (BCF)                     |   |            |           |
|---|---|------------|-----------|
| No  | Substance name  | CAS no.    | EC no.    |
| 1   | Orange, sweet, ext.   | 8028-48-6  | 232-433-8 |
| BCF   |   | 32         | - 156     |
| Partition coefficient n-octanol/water (log value) |   |            |           |
| No  | Substance name  | CAS no.    | EC no.    |
| 1   | Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l | 85586-07-8 | 287-809-4 |
| log Pow   | <=  | -2.42      |           |
| Reference temperature                             |   | 20         | °C        |
| Method  | OECD 107  |            |           |
| Source  | ECHA  |            |           |
| 2   | Orange, sweet, ext.   | 8028-48-6  | 232-433-8 |
| log Pow   | >=  | 4          |           |



**Trade name:** Super Foam**Product no.:** 396999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 01.12.2020**Region:** GB

| 3                     | (2E)-2-(phenylmethylidene)octanal | 165184-98-5 | 639-566-4 |
|-----------------------|-----------------------------------|-------------|-----------|
| log Pow               | appr.                             | 5.3         |           |
| Reference temperature |                                   | 24          | °C        |
| Method                | OECD 117                          |             |           |
| Source                | ECHA                              |             |           |

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

| Results of PBT and vPvB assessment |  |
|------------------------------------|--|
| PBT assessment                     | According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.  |
| vPvB assessment                    | According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB. |

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

| Other information   |
|---|
| Do not discharge into the drains or waters and do not store on public depositories. |

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

**Trade name:** Super Foam**Product no.:** 396999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 01.12.2020**Region:** GB

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

|  |      |
|--|------|
| The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. | No 3 |
|--|------|

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

|      |   |
|------|---|
| H226 | Flammable liquid and vapour.                          |
| H302 | Harmful if swallowed.                                 |
| H304 | May be fatal if swallowed and enters airways.         |
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H318 | Causes serious eye damage.                            |
| H319 | Causes serious eye irritation.                        |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |

---

**Trade name:** Super Foam

**Product no.:** 396999

**Current version :** 1.1.0, issued: 31.03.2021

**Replaced version:** 1.0.0, issued: 01.12.2020

**Region:** GB

---

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769435