

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Trade name : SynMulti ATF 5+
Product code : VG.20.09
Type of product : Lubricants
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Intended for general public
Main use category : Industrial use, Professional use, Consumer use
Use of the substance/mixture : Transmission oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

VatOil
Dollegoorweg 15
7602 EC Almelo - Netherlands
T 0031 (0)546 81 81 65
vib@vatoil.com

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital | Penarth CF64 2XX Cardiff | 0344 892 0111 | |

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|---|
| Precautionary statements (CLP) | : P102 - Keep out of reach of children. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| EUH-statements | : EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Highly refined mineral oils and additives.

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-----------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (Note L) | (CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25 | 50 – 80 | Asp. Tox. 1, H304 |
| Oil Soluble Polyalkylene Glycol | (CAS-No.) proprietary (EC-No.) Polymer | 1 – 2,5 | Aquatic Chronic 3, H412 |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | (CAS-No.) 125643-61-0 (EC-No.) 406-040-9 (EC Index-No.) 607-530-00-7 (REACH-no) 01-0000015551-76 | 0,1 – 2,5 | Aquatic Chronic 4, H413 |
| Bis(nonylphenyl)amine | (CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28 | 0,1 – 2,5 | Aquatic Chronic 4, H413 |
| Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol | (EC-No.) 424-820-7 (REACH-no) 01-0000017126-75 | 0,1 – 1 | Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |
| 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate | (CAS-No.) 93882-40-7 (EC-No.) 299-434-3 (REACH-no) 01-2120735527-50 | < 1 | Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage temperature : 0 – 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SynMulti ATF 5+

EU - Occupational Exposure Limits

Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended

5 mg/m³ - ACGIH TLV (inhalable fraction).

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥ 0.35 | | EN ISO 374 |

Eye protection:

Safety glasses

| Type | Use | Characteristics | Standard |
|----------------|---------|-----------------|----------|
| Safety glasses | Droplet | clear | EN 166 |

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | : Liquid |
| Colour | : red. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : -54 °C - ASTM D5950 (pour point) |
| Boiling point | : No data available |
| Flash point | : 200 °C - ASTM D92 (COC) |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0,855 kg/l (15 °C) - ASTM D4052 |
| Solubility | : Water: Insoluble / Slightly miscible |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : 33,1 mm ² /s (40 °C) - ASTM D7279 |
| Viscosity, dynamic | : No data available |
| Explosive properties | : Presents no particular fire or explosion hazard. |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) : Not classified

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

| | |
|-----------------|--------------------------------|
| LD50 oral rat | > 2000 mg/kg (OECD 401 method) |
| LD50 dermal rat | > 2000 mg/kg (OECD 402 method) |

Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol

| | |
|--------------------|-------------------------|
| LD50 oral rat | > 2000 mg/kg bodyweight |
| LD50 dermal rabbit | > 500 mg/kg bodyweight |

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

| | |
|--------------------|------------------------|
| LD50 oral rat | 10000 mg/kg bodyweight |
| LD50 dermal rabbit | 3160 mg/kg bodyweight |

Bis(nonylphenyl)amine (36878-20-3)

| | |
|-----------------|---|
| LD50 oral rat | > 5000 mg/kg bodyweight (OECD 401 method) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402 method) |

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|-----------------------|----------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 5,53 mg/l/4h |

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SynMulti ATF 5+

| | |
|----------------------|--|
| Viscosity, kinematic | 33,1 mm ² /s (40 °C) - ASTM D7279 |
|----------------------|--|

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | |
|--|---|
| LC50 fish | > 100 mg/l (Oncorhynchus mykiss, 14d) (OECD 204 method) |
| LC50 other aquatic organisms 1 | > 74 mg/l Danio rerio (zebra fish), 96h |
| EC50 Daphnia | > 100 mg/l (Daphnia magna, 48h) (OECD 202 method) |
| EC50 72h algae (1) | > 3 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method) |
| NOEC (acute) | ≥ 3 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method) |

| Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol | |
|--|--|
| LC50 fish | 1,5 mg/l (Oncorhynchus mykiss, 96h, OECD 203) |
| EC50 Daphnia | 0,09 mg/l (Daphnia magna, 48h, OECD 202) |
| ErC50 (algae) | 0,31 mg/l (Pseudokirchneriella subcapitata, 72h, 67/548/EEG Annex V C.3) |
| NOEC chronic algae | 0,14 mg/l (Daphnia, 21d) |

| 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7) | |
|--|--|
| LC50 fish | > 1000 mg/l (Cyprinodon variegatus) |
| LC50 fish | > 100 mg/l (Oryzias latipes) |
| EC50 other aquatic organisms 1 | 9,5 mg/l |
| ErC50 (algae) | > 100 mg/l (Pseudokirchneriella subcapitata) |

| Bis(nonylphenyl)amine (36878-20-3) | |
|---|---|
| LC50 fish | > 100 mg/l Brachydanio rerio (zebra-fish) |
| EC50 Daphnia | > 100 mg/l (OECD 202 method) |
| EC50 72h algae (1) | > 100 mg/l |
| NOEC chronic crustacea | > 10 mg/l |
| NOEC chronic algae | > 10 mg/l |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|--|
| LC50 fish | > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) |
| EC50 Daphnia | > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) |
| EC50 Daphnia | > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) |
| NOEC (acute) | ≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) |
| NOEC chronic fish | ≥ 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d) |
| NOEC chronic crustacea | 10 mg/l (Daphnia magna, 21d) (OECD 211 method) |

12.2. Persistence and degradability

| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | |
|--|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

| Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol | |
|--|--------------------------|
| Biodegradation | 52,9 % (60d, OECD 301 B) |

| 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7) | |
|--|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Bis(nonylphenyl)amine (36878-20-3)

| | |
|----------------|------------------------------------|
| Biodegradation | 1 % (test concentration 20,1 mg/l) |
|----------------|------------------------------------|

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|----------------|-------------------------------|
| Biodegradation | 31 % (28d) (OECD 301F method) |
|----------------|-------------------------------|

Oil Soluble Polyalkylene Glycol (proprietary)

| | |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

12.3. Bioaccumulative potential

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

| | |
|---|--|
| Bioconcentration factor (BCF REACH) | 260 (Oncorhynchus mykiss, 35d) (OECD 305 method) |
| Partition coefficient n-octanol/water (Log Pow) | 9,2 |

4,4'-thiodiethylene hydrogen -2-octadecenyisuccinate (93882-40-7)

| | |
|---------------------------|----------------------------|
| Bioaccumulative potential | Bioaccumulative potential. |
|---------------------------|----------------------------|

12.4. Mobility in soil

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

| | |
|----------------|---------------------------------------|
| Ecology - soil | Product adsorbs little onto the soil. |
|----------------|---------------------------------------|

12.5. Results of PBT and vPvB assessment

Component

| | |
|---|---|
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
|---|---|

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|--|
| Waste treatment methods | : Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |
| European List of Waste (LoW) code | : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|---|---------------|---------------|---------------|---------------|
| 14.1. UN number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group

Not regulated

Not regulated

Not regulated

Not regulated

Not regulated

14.5. Environmental hazards

Not regulated

Not regulated

Not regulated

Not regulated

Not regulated

No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| Reference code | Applicable on |
|----------------|---|
| 3. | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate ; Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol ; 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate ; Bis(nonylphenyl)amine |
| 3(b) | Distillates (petroleum), hydrotreated light naphthenic ; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based ; Distillates (petroleum), hydrotreated heavy paraffinic ; Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol ; 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate |
| 3(c) | SynMulti ATF 5+ ; reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate ; Phosphonic acid, dibutyl ester, reaction products with 2-(octylthio)- ethanol ; 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate ; Bis(nonylphenyl)amine |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 %
Child-resistant fastening : Not applicable
Tactile warning : Not applicable

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Indication of changes:

| Section | Changed item | Change | Comments |
|---------|--|----------|----------|
| 3.2 | Composition/information on ingredients | Modified | |
| 9.1 | Solubility in water | Added | |

Abbreviations and acronyms:

| | |
|---------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| vPvB | Very Persistent and Very Bioaccumulative |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| EC-No. | European Community number |
| EN | European Standard |
| OEL | Occupational Exposure Limit |
| SDS | Safety Data Sheet |
| WGK | Water Hazard Class |

Full text of H- and EUH-statements:

| | |
|-----------------------|-------------------------------------|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
|-----------------------|-------------------------------------|

SynMulti ATF 5+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.