Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Quick & Shine

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Warning

Hazardous component(s) to be indicated on label:

2-octyl-2H-isothiazol-3-one

EU safety data sheet

KochChemie® ExcellenceForExperts.

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

Hazard statement(s)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P280 Wear protective gloves/eye protection.

Supplemental label elements

Regulation (EC) No 648/2004 on detergents (Annex VII):

<5% non-ionic surfactants

Perfumings LIMONENE

2-BROMO-2-NITROPROPANE-1,3-DIOL

OCTYLISOTHIAZOLINONE

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	ional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration	%
	REACH no				
1	2-butoxyethanol				
	111-76-2	Acute Tox. 4; H302	>=	5.00 - < 10.00	wt%
	203-905-0	Acute Tox. 4; H312			
	603-014-00-0	Acute Tox. 4; H332			
	01-2119475108-36	,			
		Skin Irrit. 2; H315			
2	bronopol		pls. re	efer to footnote (1)	
	52-51-7	Acute Tox. 4*; H302	<	0.10	wt%
	200-143-0	Acute Tox. 4*; H312			
	603-085-00-8	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
		Skin Irrit. 2; H315			
		STOT SE 3; H335			
		Aquatic Chronic 2; H411			
3	2-octyl-2H-isothiaz	ol-3-one			
	26530-20-1	Acute Tox. 3; H301	<	0.10	wt%
	247-761-7	Acute Tox. 3; H311			
	613-112-00-5	Skin Corr. 1; H314			
	-	Skin Sens. 1A; H317			
		Eye Dam. 1; H318			
		Acute Tox. 2; H330			
		Aquatic Chronic 1; H410			

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

	Aquatic Acute 1; H400	
	EUH071	

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)
2	-	-	M = 10	-
3	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 100	M = 100

Acu	Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative			
1	1746 mg/kg bodyweight					

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) /	EH40			
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	123	mg/m³	25	ppm
	Comments	Sk, BMGV		•	

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol			111-76-2	
				203-905-0	
	inhalative	Long term (chronic)	systemic	98.00	mg/m³
	inhalative	Short term (acut)	systemic	1091.00	mg/m³
	inhalative	Long term (chronic)	local	246.00	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	2-butoxyethanol			111-76-2	
	_			203-905-0	
	oral	Long term (chronic)	systemic	6.30	mg/kg/day
	oral	Short term (acut)	systemic	26.70	mg/kg/day
	inhalative	Long term (chronic)	systemic	59.00	mg/m³
	inhalative	Short term (acut)	systemic	426.00	mg/m³
	inhalative	Long term (chronic)	local	147.00	mg/m³

PNEC values

No	Substance name	Substance name		
	ecological compartment	Туре	Value	
1	2-butoxyethanol		111-76-2	
			203-905-0	
	water	fresh water	8.80	mg/L
	water	marine water	0.88	mg/L
	water	fresh water sediment	34.60	mg/kg
	with reference to: dry weight			
	water	marine water sediment	3.46	mg/kg
	water	Aqua intermittent	26.4	mg/L
	soil	-	2.33	mg/kg dry
				weight
	sewage treatment plant	-	463.00	mg/L
	secondary poisoning	-	0.02	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Region: 2.0.0, issued: 21.01.2022 Region: GB

permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation liquid					
Form/Colour liquid opaque					
Odour fruity					
pH value Value		6			
Boiling point / boiling range No data available					
Melting point/freezing point No data available					
Decomposition temperature No data available					
Flash point Value	>	100	°C		
Ignition temperature No data available					
Flammability No data available					
Lower explosion limit No data available					
Upper explosion limit No data available					
Vapour pressure No data available					
Relative vapour density No data available					
Relative density No data available					
Density Value Reference temperature		1 20	g/cm³ °C		
Solubility No data available					
Partition coefficient n-octanol/water (log valvo) No Substance name	alue)	CAS no.		EC no.	

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

1	2-butoxyethanol		111-76-2		203-905-0	
log F	Pow			0.81		
Refe	erence temperature			20	°C	
Meth	nod	calculated				
Soul	rce	ECHA				

Viscosity
No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	2-butoxyethanol		111-76-2		203-905-0		
LD5	0			1746	mg/kg bodyweight		
Spe	cies	rat					
Meth	hod	OECD 401					
Soul	rce	ECHA					

Acu	Acute dermal toxicity						
No	Substance name	CAS	no.	EC no.			
1	2-butoxyethanol	111-7	6-2	203-905-0			
LD5	0	>	2000	mg/kg bodyweight			
Spe	cies	guinea pig					
Meth	nod	OECD 402					
Soul	rce	ECHA					

Acu	Acute inhalational toxicity					
No	Substance name	CAS no.		EC no.		
1	2-butoxyethanol	111-76-2		203-905-0		
ATE			1.5	mg/l		
Dura	ation of exposure		4	h		
State	e of aggregation	Dust/mist				

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

Species	rat

Skir	Skin corrosion/irritation						
No	Substance name		CAS no.	Е	C no.		
1	2-butoxyethanol		111-76-2	2	03-905-0		
Dura	ation of exposure		4		h		
Spe	cies	rabbit					
Meth	nod	EU B.4					
Soul	rce	ECHA					
Eval	uation	irritant					

Seri	Serious eye damage/irritation						
No	Substance name	CAS no.		EC no.			
1	2-butoxyethanol	111-76-2		203-905-0			
Dura	ation of exposure		24	h			
Spec	cies	rabbit					
Meth	nod	OECD 405					
Soul	rce	ECHA					
Eval	uation	Irritating to eyes					

Res	Respiratory or skin sensitisation						
No	Substance name	CAS no.	EC no.				
1	2-butoxyethanol	111-76-2	203-905-0				
Rou	te of exposure	Skin					
Spe	cies	guinea pig					
Meth	nod	OECD 406					
Source		ECHA					
Eval	uation	non-sensitizing					

Ger	Germ cell mutagenicity						
No	Substance name	CAS no.	EC no.				
1	2-butoxyethanol	111-76-2	203-905-0				
Meth	nod	OECD 471					
Soul	Source ECHA						
Eval	Evaluation/classification Based on available data, the classification criteria are not met.						

Reproduction toxicity No data available

Card	Carcinogenicity						
No	Substance name	CAS no.	EC no.				
1	2-butoxyethanol	111-76-2	203-905-0				
Spec	cies	rat					
Meth	nod	OECD 451					
Sour	rce	ECHA					
Eval	Evaluation/classification Based on available data, the classification criteria are not met.						

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)						
No	Substance name	CAS	no.	EC no.			
1	2-butoxyethanol	111-	76-2	203-905-0			
LC5	0	>	1474	mg/l			
Dura	ation of exposure		96	h			
Spe	cies	Oncorhynchus myl	kiss				
Method		OECD 203					
Soul	rce	ECHA					

Toxi	icity to fish (chronic)					
No	Substance name		CAS no.		EC no.	
1	2-butoxyethanol		111-76-2		203-905-0	
NOE	EC	>		100	mg/l	
Dura	ation of exposure			21	day(s)	
Spe	cies	Danio rerio				
Meth	nod	OECD 204				
Soul	rce	ECHA				

Toxi	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
EC5	50		690	mg/l	
Duration of exposure			48	h	
Species		Daphnia magna			
Method		OECD 202			
Source		ECHA			

Toxi	Toxicity to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
NOEC			100	mg/l	
Duration of exposure			21	day(s)	
Species		Daphnia magna			
Method		OECD 211			
Source		ECHA			

Toxi	Toxicity to algae (acute)						
No	Substance name	CAS no.		EC no.			
1	2-butoxyethanol	111-76-2		203-905-0			
EC50		6	523	mg/l			
Duration of exposure		7	72	h			
Species		Pseudokirchneriella subcapitat	а				
Method		OECD 201					
Source		ECHA					

Tavialto ta aluas (aluas da luas da lu
Toxicity to algae (chronic)
remaily to algue (ome me)
AL LE THE THE STATE OF THE STAT
l No data available

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biod			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Туре		aerobic biodegradation	

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

Value Duration		90.4 28	% day(s)
Method	OECD 301 B	20	udy(0)
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)							
No	Substance name	CAS no.		EC no.			
1	2-butoxyethanol	111	-76-2	203-905-0			
log Pow			0.81				
Refe	erence temperature		20	°C			
Method		calculated					
Sou	rce	ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

_	o other information				
	Other information				
	Do not discharge product unmonitored into the environment.				

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII.

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-butoxyethanol	111-76-2	203-905-0	75
2	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75
3	bronopol	52-51-7	200-143-0	75
4	octamethylcyclotetrasiloxane	556-67-2	209-136-7	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Trade name: Quick & Shine

Product no.: 168999

Current version: 2.0.0, issued: 04.02.2022 Replaced version: 2.0.0, issued: 21.01.2022 Region: GB

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding

section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763598